



Unit 2, 36 Liverpool St
Ingleburn NSW 2565
Ph: +61 2 9605 6811

www.citylivingclotheslines.com.au

City Living Clotheslines

INSTALLATION INSTRUCTIONS

URBAN SERIES GROUND MOUNT CLOTHESLINES



Contents

Leg
2 off

Arm
2 off

Stay Assembly
2 off

Joiner **
2 off

Spreader Bar **
4 off





Tek Screw must only be removed if the length needs to be adjusted

****Clotheslines 2400mm or less use a 1 piece spreader bar (2 off).**

Spreader bar assembly consists of 2 Spreader Bars and 1 Joiner

Contents (continued)

① Bolt, M8 x 110mm long 2 off



② Bolt, M8 x 75mm long 4 off



③ Bolt, M8 x 60mm long 2 off



④ Lock Nut, M8 8 off



⑤ Aluminium Spacer 2 off



⑥ Nylon Spacer 2 off



⑦ Top Hat Spacer 2 Off



Layout:

- Dig 2 holes, 200mm diameter, for the posts. The hole centres are 160mm less than the length of the clothesline purchased (e.g. 2240mm for a 2400mm clothesline, or 2840mm for a 3000mm clothesline).
- The hole depth depends on the desired height of the clothesline. Ensure that the holes are deep enough that the spreader bar is level with the users head.
- Assemble the spreader bar (clotheslines larger than 2400mm) making sure that the plugged ends fare on the end (see Figure 5). Bolt onto the legs as per figure 2. Use Bolt ②, Lock Nut ④.
- Set the poles in the ground with concrete. Ensure the posts and spreader bar are level. Leave concrete to set as per manufacturer's instructions




Figure 1 – Layout.




Figure 2 – Bolt Back Bar onto Legs

Assembly:

- Bolt the Stay assembly to the OUTSIDE OF THE LEG (see Figure 3) using Bolt (2), Lock Nut (4), Nylon Spacer (6) with the “Oil” label facing the front

**** DO NOT TIGHTEN THE BOLTS ****

- Bolt the Arm to the Leg using Bolt (1), Aluminium Spacer (5) and Lock Nut (4) (see Figure 4)
 - Bolt the Arm to the Stay Assembly using Bolt, (3), Top Hat Spacer (7) and Lock Nut (4) (see Figure 4)
 - Repeat the procedure on the other leg.
 - Assemble the front bar. Insert the 2 spreaders into the joiner (clotheslines 2400mm long or less have a 1 piece spreader bar)
 - Insert the end of the spreader into the arm.
 - No screws are required to hold the spreader bar as the cord tension keeps everything in place.
- **TIP:** you may need to use a rubber mallet or soft piece of wood to tap the spreader bar into the arms and ensure they are properly seated.
- Tighten all bolts. Do not over tighten as this will affect the smooth operation on the clothesline and may result in premature wear.




Figure 3 – Bolt Stay Assembly onto Leg




Figure 5 – Spreader Bar assembly




Figure 4 – Bolt Arm onto Leg and Stay

Feeding the cord:

- Unroll the cord.
TIP: Always keep hold of the loose ends as this will prevent tangles.
- Feed one end down the hole closest to the wall allowing approx. 300mm for tying.
- Tie off as shown in the Figs 7 and 8.
- Feed the cord through the remaining holes as shown in Fig 6.

Figure 6 – Feeding the cord



- To tension the cord, hold the free end tightly. Starting at the line closest to the wall, pull down firmly on the middle of the cord. Repeat the process on the next cord, working your way outwards removing any slack. Repeat the process until there is sufficient tension in the cord.
- Tie the loose end as shown in Figs 5 and 6. Trim the ends of the cord, leaving 100mm to be fed through the hole as shown in Fig 6.




Figure 7 – Tying off

Pull Tight




Figure 8 – Tying off

Warranty Details

City Living Clotheslines undertake the following guarantee for its manufactured products;

*Replacement of cord for a period of one (1) year from date of purchase.

*Replacement of any other component of the clothes line for a period of ten (10) years from the date of purchase.

This Guarantee is conditional as follows;

*Failure is due to faulty workmanship or faulty material, allowing for fair wear and tear.

*No evidence of misuse or maladjustment by the owner or any person using or repairing the product with or without the owner's consent.

*No cost will be borne by City Living Clotheslines for freight, postage, in-situ dismantling, replacement, re-assembling and adjustment of the product.

*Any malfunction of the product must be promptly reported to City Living Clotheslines for immediate attention to prevent further damage. When a user-generated problem is attended to by service Staff a service fee may be applicable.

This Guarantee exceeds and does not preclude any rights assured by the Trade Practices Act and any other State and Territory Laws.